HAZARDOUS WASTE

NEW YORK UNIVERSITY

Environmental Services (212) 998-1450

Check the Primary Hazard

□ Toxic

□ Flammable

□ **E**xplosive

	☐ Corrosive	□ O xidizer
DATE FULL:(Remove to Waste F	Room within 3 days of	f Date Full)
COMPOSITION (IF NO FORMULAE or A		CONSTITUENTS AND %)
Labeled by:		
Department:		
Dunuing.		KOOIII
HAZ	ARDOUS '	WASTE
NE	W YORK UNIVI	ERSITY
Enviror	mental Services (2	212) 998-1450
	Check the Primary H	lazard
□ Flammable	□ T oxic	□ E xplosive
□ R eactive	□ C orrosive	□ O xidizer
DATE FULL:		
DATE FULL:	☐ Corrosive	
DATE FULL:(Remove to Waste F	Room within 3 days o	
DATE FULL:(Remove to Waste F	Room within 3 days o	f Date Full)
DATE FULL:(Remove to Waste F	Room within 3 days o	f Date Full)
DATE FULL:(Remove to Waste F	Room within 3 days o	f Date Full)
DATE FULL:(Remove to Waste F	Room within 3 days o	f Date Full)
DATE FULL: (Remove to Waste F	Room within 3 days o	f Date Full)
DATE FULL:(Remove to Waste F	Room within 3 days o	f Date Full)

HAZARDOUS WASTE

NEW YORK UNIVERSITY

Environmental Services (212) 998-1450

	Check the Primary F	lazard
□ Flammable	□ T oxic	□ E xplosive
□ R eactive	□ Corrosive	□ O xidizer
DATE FULL:		
(Remove to Waste F	Room within 3 days o	f Date Full)
COMPOSITION (IF I		CONSTITUENTS AND %)
Labeled by:		
Department:		D
Building:	ZARDOUS V	Room:
Building: HAZ	ZARDOUS VEW YORK UNIVIOUS (Room: WASTE ERSITY 212) 998-1450
HAZ NE Environ	ZARDOUS EW YORK UNIVI mental Services (Check the Primary F	Room:Room:
Building: HAZ	ZARDOUS VEW YORK UNIVIOUS (Room: WASTE ERSITY 212) 998-1450
HAZ NE Environ	ZARDOUS VEW YORK UNIVIDENT OF TOXIC	Room:Room:
HAZ NE Environ	ZARDOUS VEW YORK UNIVIDENT OF TOXIC	Room:
HAZ NE Environ Flammable Reactive DATE FULL:	ZARDOUS VEW YORK UNIVIDENT OF TOXIC	Room:
HAZ NE Environ Flammable Reactive DATE FULL: (Remove to Waste F	ZARDOUS EW YORK UNIVIDENT OF TOXIC Check the Primary For Toxic Corrosive Room within 3 days of MIXTURE, LIST ALL C	Room:
HAZ NE Environ Flammable Reactive DATE FULL: (Remove to Waste F	ZARDOUS EW YORK UNIVIDENT OF TOXIC Check the Primary For Toxic Corrosive Room within 3 days of MIXTURE, LIST ALL C	Room:
HAZ NE Environ Flammable Reactive DATE FULL: (Remove to Waste F	ZARDOUS EW YORK UNIVIDENT OF TOXIC Check the Primary For Toxic Corrosive Room within 3 days of MIXTURE, LIST ALL C	Room:
HAZ NE Environ Flammable Reactive DATE FULL: (Remove to Waste F	ZARDOUS EW YORK UNIVIDENT OF TOXIC Check the Primary For Toxic Corrosive Room within 3 days of MIXTURE, LIST ALL C	Room:
HAZ NE Environ Flammable Reactive DATE FULL: (Remove to Waste F	ZARDOUS EW YORK UNIVIDENT OF TOXIC Check the Primary For Toxic Corrosive Room within 3 days of MIXTURE, LIST ALL C	Room:
HAZ NE Environ Flammable Reactive DATE FULL: (Remove to Waste F	ZARDOUS EW YORK UNIVIDENT OF TOXIC Check the Primary For Toxic Corrosive Room within 3 days of MIXTURE, LIST ALL C	Room:
HAZ NE Environ Flammable Reactive DATE FULL: (Remove to Waste F	ZARDOUS EW YORK UNIVIDENT OF TOXIC Check the Primary For Toxic Corrosive Room within 3 days of MIXTURE, LIST ALL C	Room:
HAZ NE Environ Flammable Reactive DATE FULL: (Remove to Waste F	ZARDOUS EW YORK UNIVIDENT OF TOXIC Check the Primary For Toxic Corrosive Room within 3 days of MIXTURE, LIST ALL C	Room:

Building:

Room:

Department:

Building: _____ Room: ____